

ARCHITECTURAL STANDARDS POLICY FOR THE COURTS III  
COMMUNITY OF THE WHETSTONE HOMES CORPORATION

***Any exterior modification including those listed below requires prior approval by the Montgomery Village Foundation Architectural Review Board.***

***Purpose:*** To ensure values and enhance the appearance of Montgomery Village, the following criteria are established to serve as a general guide for residents of **Courts III** desiring to make exterior alterations or changes to their property. ***All modifications must be completed within three months of board approval unless a specific exception is received. [Courts III is Rhodes Way]***


The goal of the MVF Architectural Review Board is to maintain the original architectural design and integrity of each community in Montgomery Village. All requests for exterior modifications, house additions, replacement materials or other structures are reviewed by the ARB on an individual basis utilizing guidelines based on the original design intent and overall aesthetics. Original design features must be retained unless otherwise approved by the ARB. The ARB acknowledges building materials are constantly changing and will approve new materials wherever they may be appropriately integrated within the original architectural plan of the community.

1. **Roof** - The roof shingle color is standard. The approved color is **Certaineed "Moire Black"**.
2. **Exterior Paint** - Recorded exterior house colors for each individual home are available at the Montgomery Village Foundation office. No approval is required if the exterior paint colors are not changed from these recorded colors. Exterior color change requests for house siding, trim, front door, storm door, garage door or garage trim are reviewed by the ARB on an individual basis and must be compatible with the style and design of each specific community. The Architectural Standards staff is available to assist homeowners in their color selection.
3. **Siding/Trim** – Any change in color, style or material requires prior approval.
4. **Replacement Windows** – Must be a slider style and the color will be determined on an individual basis.  
**Storm Windows** – Must be a slider style and the color will be determined on an individual basis.
5. **Storm/Screen Door**- The front entrance storm/screen door will be reviewed on an individual basis (see attached drawing for recommended styles). The color of the door must be the color of the front door unless otherwise approved. .  
**Security Storm Door** – Must be painted the front door color.


6. **Exterior Light Fixture** – The original black tubular light fixture attached to the front brick wall facing the street must be retained.  
**Security Lighting** – Must conform to MVF approved guidelines. *Original light fixtures on front elevations must be retained (may or may not include motion sensor lights).*
7. **Ground Level Deck** – Should be screened with shrubs to enclose that portion between deck and grade that is greater than 12" in height.  
**Deck Color** - Any tinted or colored preservatives will be reviewed on an individual basis.
8. **Garden Wall** - Developer installed brick walls must be retained (see drawing).  
**Garden Wall Iron Gate/ Privacy Screen** – To provide privacy in the rear yards, a privacy screen may be incorporated into the existing wrought iron gate. Approval is not necessary provided the modification conforms to the attached rear gate drawing attached.
9. **Front Wood Fence and Gate** – Developer installed wood fence and gate facing toward the front of the house must be retained. These fences and gates must be the house siding color.
10. **Rear Yard Fences** – Developer installed wood fences in the rear yards must be stained (or painted) the standard community color of **McCormick KCS-9**. The standard community rear yard fence and top cap (if needed) designs are attached.
11. **Storage Sheds** – Will be approved in accordance with the attached Shed Guidelines (see attachment).
12. **House Numbers** – Black or brass metal numbers no higher than 5", attached to a board painted the house siding color, are the original house numbers for the community. The number board is attached to the front brick under a black tubular light fixture. The original design and location must be retained unless otherwise approved.
13. **Garage aprons** – The original garage aprons are aggregate concrete. The aggregate concrete must be maintained and retained. No other types of material are approved.
14. **Basketball Backboards** – Are not permitted.
15. **Composting** - Residential composting of yard waste will be permitted according to approved guidelines. Contact MVF for these specific guidelines.

*Additional guidelines for exterior modifications are available at the MVF office.*


# Recommended Storm Door Styles




Full-view



$\frac{3}{4}$  Glass




Self-storing



Security Door


*Courts of Whetstone III*



Garden Wall Iron Gate/Privacy Screen


### Courts of Whetstone III

# Courts III – Rhodes Way & Courts III type Houses on Brooke Grove Court




## Courts of Whetstone III

# Courts of Whetstone III



## Recommended Shed Design





# MONTGOMERY VILLAGE FOUNDATION, INC.

10120 APPLE RIDGE ROAD  
MONTGOMERY VILLAGE, MARYLAND 20886-1000

(301) 948-0110 FAX (301) 990-7071 [www.mvf.org](http://www.mvf.org)

## ARCHITECTURAL STANDARDS DEPARTMENT

### VILLAGE-WIDE SHED GUIDELINES

Wood or Pre-fabricated

These new guidelines may replace existing shed criterion for some homes corporations or it may serve only as an addendum to existing criteria. Because of the individuality of each community, sheds have to be reviewed on an individual basis. For the most part, these guidelines will be used as a Village-wide reference for staff, homeowners, for the Architectural Review Board, and the MVF Board of Directors.

1. Requisite: Only one shed per property will be approved.
2. Design and materials -
  - The roof style may be either gabled-framed or shed-framed (slanted). The roof material will be considered on an individual basis. The recommended roof material is either natural, unstained cedar wood shakes, or asphalt shingles in a color approved by the ARB.
  - Barn style roofs or other styles will not be approved.
  - Only one window is typically approved for a shed. Two windows may be considered on an individual basis.
  - Typically only one doorway is approved for a shed. Double doorways will be considered on an individual basis.
  - Although, originally, sheds were approved to be wood – Texture T-1-11 or grooved cedar – alternate shed materials will now be considered on an individual basis.
  - No shutters or window boxes will be approved for any shed.
3. Color –
  - If sheds are adjacent to the house, sheds are typically approved to be the color of the house siding or trim. The roof color is typically approved to be the same as the house. The siding and trim could be the same color.
  - If sheds are to be located in the rear yard, one solid, neutral color is preferred. All colors will be reviewed on an individual basis.
4. Location –
  - The location of the shed will be determined on an individual basis taking into account the lot configuration, lot size, relationship to the adjoining yard, and existing house and yard structures.

- Sheds to be located under elevated decks or in recessed areas of the house will have more flexibility as far as style and materials. Each application will be considered on an individual basis.

5. Size –

- **Single Family, Detached Home Communities:**  
The recommended maximum width and length is 8'W x 10'L with a maximum height of 9' to the peak. Larger sheds will be considered on an individual basis.
- **Townhouse/ Zero-Lot-Line Communities with split-rail fences:**  
The maximum width and length is 6'W x 8'L with a maximum height of 8' to the peak. Larger heights will be considered on an individual basis based on yard size.
- **Townhouse Communities with yard enclosure fences:**  
The maximum width and length is 4'W x 8'L with the shed height not to exceed the fence height. Higher roof peaks will be considered on an individual basis.

These guidelines would not apply to communities which have a specific shed criterion (sheds constructed in conjunction with fences, etc.) or where sheds are prohibited.

**Sheds prohibited in:**

Dockside  
Gablefield  
Meadowgate  
Highland Hall  
Fairway Islands

**Sheds prohibited if not built according to plan:**

Millrace

Community Listings

Homes corporation	Communities with new shed guidelines	Communities where new shed guidelines will not apply (only existing criteria will apply)
<b>Eastgate</b>	Hickory Grove	Charlesgate
	Kings Point	
	The Meadows	
	The Mews	
	Ridgefield	
	Wood Edge	
<b>East Village</b>	Ashford	Candleridge
	The Downs	Gablefield
	The Estates	Glenbrooke
	The Estates- Section B	Holly Pointe
	Essex Place II	Meadowgate
	The Reach	Wethersfield
<b>Maryland Place</b>	Maryland Place	N/A
<b>Middle Village</b>	N/A	Clubsie
		Thomas Choice West
<b>Northgate</b>	The Points	Apple Ridge
	Shadow Oak	Dorsey's Regard
	William's Range	McKendree
		Overlea
<b>North Village</b>	Essex Place	Highland Hall
	Pleasant Ridge	McRory
	Salem's Grant	Perry Place
		Picton
<b>Patton Ridge</b>	Fairidge	Arrowhead
	Highfield	Fairway Island
	Partridge Place	Greentee I & II
<b>Poplar Spring</b>	Poplar Spring	N/A
<b>South Village</b>	Center Stage	Dockside
		Grover's Forge
		Hamptons
		Millrace
		Nathan's Hill
		Walker's Choice
<b>Stedwick</b>	Club Hill	Forest Brooke
	Clusters I, II & III	Frenchton Place
	The Heights	
	The Ridges	
<b>Whetstone</b>	Courts I, II & III	N/A
	Goshenside	
	Lakeside	
	The Ridges	